

ADDENDUM 1

Loan No. and Title

**ADB Loan No.: Applied For;
Kolkata Environmental Improvement Investment Program (KEIIP) – Project 2**

Contract No. and Title

**KEIIP/NCB/TR-2/SD 13/2015-16
Development of Sewerage and Drainage Network within James Long Sarani and Mahatma Gandhi Road
Catchment in Borough XVI (Part of Ward Nos.123 & 124)**

SI. No	Description and Reference clause of Bid document	Details of Addendum 1
1	Deadline for submission of On- line Bids	Revised date shall be : 22.04.2016 at 6.00 PM (IST)
2	Deadline for submission of the Original Documents as required in the sub-clause ITB 11 of Section 2 BDS of Bid Document	Revised date shall be : 26.04.2016 at 2.30 PM (IST)
3	Date of opening of Technical bids	Revised date shall be : 26.04.2016 at 15.00 Hrs.



ADDENDUM 1


Loan No. and Title

**ADB Loan No.: Applied For;
Kolkata Environmental Improvement Investment Program (KEIIP) – Project 2**

Contract No. and Title

**KEIIP/NCB/TR-2/SD 13/2015-16
Development of Sewerage and Drainage Network within James Long Sarani and Mahatma Gandhi Road
Catchment in Borough XVI (Part of Ward Nos.123 & 124)**

Sl. No	Description and Reference clause of Bid document	Details of Addendum for SD 13
	Section 4 : Bill of Quantities Sl. No. 9	<p>Replace :</p> <p>'Earthwork in excavation in trenches and pits for sewers/ drains, manholes, catch pits, gully pits, inspection pits etc. and any other structures, including bailing out/ dewatering manually or by pumps in all sorts of soil or loose material including removing surplus spoils and debris to a destination to be arranged by Contractor and in keeping with laws of the land, as per specification, drawing and as directed by the Engineer (No extra lead will be payable). (Volume to be measured from the bottom of the road crust i.e. excluding the volume executed under item 1, 2, 3, 4 & 5 above.) Trench shall be kept dry by dewatering and removal of slush.'</p> <p>By :</p> <p>'Earthwork in excavation in trenches and pits for sewers/ drains, manholes, catch pits, gully pits, inspection pits etc. and any other structures, including bailing out/ dewatering manually or by pumps in all sorts of soil or loose material including removing surplus spoils and debris to a destination to be arranged by Contractor and in keeping with laws of the land, as per specification, drawing and as directed by the Engineer (No extra lead will be payable). (Volume to be measured from the bottom of the road crust i.e. excluding the volume executed under all above items). Trench shall be kept dry by dewatering and removal of slush. '</p>
	Section 4 : Bill of Quantities Sl. No.93	<p>Replace:</p> <p>'Retaining wooden shoring in place with necessary planks, runners etc., including the cost for driving the same and cutting the shoring as directed and complete for all depths and widths to trenches. (While allowing payment for retaining shoring no payment against items 13.1, 13.2, 13.3 & 13.4 shall be made).'</p> <p>By :</p> <p>'Retaining wooden shoring in place with necessary planks, runners etc., including the cost for driving the same and cutting the shoring as directed and complete for all depths and widths to trenches.</p>



SI. No	Description and Reference clause of Bid document	Details of Addendum for SD 13
		While allowing payment for retaining shoring no payment against above item on 'Close Timbering (Shoring)' shall be made.'
	Section 4 : Bill of Quantities Sl. No.144	<p>Replace:</p> <p>'Supply and construction of Gully Pit with 250 mm thick brick masonry (1:4) of internal size 625 mm x 1100 mm and upto 1550 mm depth, placed over 100 mm thick PCC (1:2:4) with stone chips 20 mm & down over a layer of brick flat soling including 100 mm thick RCC cover slab (M25) with graded stonechips 20mm & down over a layer of brick flat soling including 100mm thick RCC cover slab (M25) with graded stonechips 20 mm & down having opening for grating, finished with 1.5 mm thick neat cement finish over 19mm thick cement/ sand plaster (1:4) on all internal faces and pointing with cement/ sand mortar (1:4) on the external faces, including supplying, fitting and fixing 450 mm x 380 mm x 50 mm thick 12 MT capacity polyelastomer grating with RCPC frame packed around with PCC (1:2:4) and 200 mm dia uPVC bend (with coupler and short piece) fitted as shown in drawing, including shuttering, reinforcement, bailing out/ dewatering (by pumps or otherwise) of water, complete as per drawing, specification and as directed by the Engineer. Cost of excavation, shoring, backfilling, dismantling of road crust and road restoration will be paid separately.'</p> <p>By :</p> <p>'Supply and construction of Gully Pit with 250 mm thick brick masonry (1:4) of internal size 625 mm x 1100 mm and upto 1550 mm depth, placed over 100 mm thick PCC (1:2:4) with stone chips 20 mm & down over a layer of brick flat soling including 100 mm thick RCC cover slab (M25) with graded stone chips 20mm & down over a layer of brick flat soling including 100mm thick RCC cover slab (M25) with graded stone chips 20 mm & down having opening for grating, finished with 1.5 mm thick neat cement finish over 19mm thick cement/sand plaster (1:4) on all internal faces and pointing with cement/sand mortar (1:4) on the external faces, including supplying, fitting and fixing of poly-elastomer grating (12 MT capacity) with RCPC frame packed around with PCC (1:2:4) (as per drawing and specification) and 200 mm dia uPVC bend (with coupler and short piece) fitted as shown in drawing, including shuttering, reinforcement, bailing out/ dewatering (by pumps or otherwise) of water, complete as per drawing, specification and as directed by the Engineer. Cost of excavation, shoring, backfilling, dismantling of road crust and road restoration will be paid separately.'</p>



ADDENDUM 1

Loan No. and Title

ADB Loan No.: Applied For;
Kolkata Environmental Improvement Investment Program (KEIIP) – Project 2

Contract No. and Title

KEIIP/NCB/TR-2/SD 13/2015-16
Development of Sewerage and Drainage Network within James Long Sarani and Mahatma Gandhi Road
Catchment in Borough XVI (Part of Ward Nos.123 & 124)

Sl. No.	Description and Reference Clause of Bid document	Details of Addendum 1
1	Section 5 Eligible Countries	Replace country list No.35: 'Micronesia, Federal States of' By 'Micronesia, Federated States of'
2	Sub-Clause 1.1.5.6 Sections Section 8 Part – A, Particular Conditions of Contract	Replace 'Not Applicable' By "Refer to Table 'Summary of Sections of the Works' given below"
3	Sub-Clause 4.8 Safety Procedure Section 8 Particular Conditions of Contract	Delete the sentence : A deduction of 0.5% shall be made from the interim payment for non-compliance of the safety measures during the implementation stage.
4	Sub-Clause 4.18 Protection of the Environment Section 8 Particular Conditions of Contract	Delete the sentence : A deduction of 0.5% shall be made from the interim payment for non-compliance of the environmental protection measures during the implementation stage.

